

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **000-567**

**Title** : IBM Tivoli Provisioning  
Manager V7.2.0.2  
Implementation

**Version** : DEMO

1.Which IBM Tivoli Provisioning Manager V7.2.0.2 software package format includes everything required to install the software package?

- A.SP
- B.SPE
- C.SPD
- D.SPB

**Answer:D**

2.What is the correct start order for IBM Tivoli Provisioning Manager V7.2 (TPM) components?

- A.database, directory server, WebSphere Application Server, TPM engines
- B.directory server, database, WebSphere Application Server, TPM engines
- C.database, directory server, TPM engines, WebSphere Application Server
- D.directory server, database, TPM engines, WebSphere Application Server

**Answer:A**

3.Peering must be enabled in which two places? (Choose two.)

- A.the depot
- B.the file repository
- C.the Tivoli Common Agent
- D.the zone containing the endpoint
- E.the IBM Tivoli Provisioning Manager server

**Answer:CD**

4.Which port must be open on a firewall for the Tivoli Common Agent located on the target to download a file from the depot?

- A.9510
- B.2100
- C.2222
- D.9443

**Answer:B**

5.What is the default session timeout for the IBM Tivoli Provisioning Manager V7.2 Web user interface?

- A.1 hour
- B.24 hours
- C.5 minutes
- D.30 minutes

**Answer:D**

6.What is the documented notification mail server for IBM Tivoli Provisioning Manager V7.2?

- A.IMAP
- B.SMTP
- C.Lotus Notes
- D.Microsoft Exchange

**Answer:B**

7.Which action is required when running IBM Tivoli Provisioning Manager V7.2.0.2 reports?

- A.select Generate Request page for the report
- B.run the report compiler workflow compileReport(reportName)
- C.create a user who is a member of the security group runReports
- D.start the reporting engine using startReportEngine.sh or startReportEngine.cmd

**Answer:A**

8.What does IBM Tivoli Provisioning Manager V7.2.0.2 use for reporting by default?

- A.DataVision
- B.SourceForge JDBC Reporting
- C.IBM DB2 Query Management Facility
- D.Business Intelligence and Reporting Tool (BIRT)

**Answer:D**

9.Which default port is required for communication between the Web browser and the IBM Tivoli Provisioning Manager server?

- A.80 TCP
- B.9443 TCP
- C.8080 TCP
- D.9080 TCP

**Answer:B**

10.Which port must be available to enable communication between the Tivoli Common Agent and the Dynamic Content Delivery depot?

- A.2100 TCP
- B.9513 TCP
- C.8777 TCP
- D.9080 TCP

**Answer:A**

11.What is the minimum required RAM in a single server topology installation of IBM Tivoli Provisioning Manager V7.2?

- A.4 GB
- B.6 GB
- C.8 GB
- D.12 GB

**Answer:C**

12.On an IBM Tivoli Provisioning Manager V7.2 Windows server, which command imports objects into the DCM from an XML file?

- A.dcmxml.cmd
- B.xmltodcm.cmd
- C.xmlimport.cmd

D.importdcm.cmd

**Answer:C**

13.On an IBM Tivoli Provisioning Manager V7.2 UNIX server, which command imports definitions of software packages from an XML file into the DCM?

- A.ccimport.sh
- B.dcmimport.sh
- C.importdcm.sh
- D.xmlimport.sh

**Answer:D**

14.Which two operation types can be specified when using the command dcmQueryCommand? (Choose two.)

- A.DCMAdd
- B.DCMFind
- C.DCMInsert
- D.DCMUpdate
- E.DCMRemove

**Answer:CD**

15.The default IBM Tivoli Provisioning Manager V7.2 (TPM) install can only be used in which installation scenario?

- A.one AIX server
- B.one Windows server
- C.one Red Hat Linux server
- D.two Solaris servers: one for the TPM server and one for the database server

**Answer:B**

16.What is a valid deployment scenario to install IBM Tivoli Provisioning Manager V7.2 using an existing Oracle database server?

- A.default installation
- B.two server installation on AIX-based servers
- C.single server installation on an AIX-based server
- D.single server installation on a Windows-based server

**Answer:B**

17.What are two valid paths to upgrade IBM Tivoli Provisioning Manager (TPM) to version 7.2.0.2? (Choose two.)

- A.TPM V7.2 > TPM V7.2.0.2
- B.TPM V7.1.1 > TPM V7.2.0.2
- C.TPM V7.1.1 > TPM V7.2 > TPM V7.2.0.2
- D.TPM V7.2 > TPM V7.2.0.1 > TPM V7.2.0.2
- E.TPM V7.1.1 > TPM V7.2 > TPM V7.2.0.1 > TPM V7.2.0.2

**Answer:DE**

18.The built-in script variable system is used to do which three operations? (Choose three.)

- A.retrieve a property value
- B.format or parse date strings
- C.prematurely exit a loop or branch
- D.start an AssemblyLine in debug mode
- E.query metadata from a connected system
- F.start an AssemblyLine in manual/cycle mode

**Answer:** A,B,C

19.The built-in script variable task is used for which two operations? (Choose two.)

- A.writing log messages
- B.controlling the AssemblyLine object
- C.querying and changing property settings
- D.starting AssemblyLines with initial data values
- E.queuing AssemblyLine execution with the Task Scheduler

**Answer:** A,B

20.What is the default port for the IBM Tivoli Provisioning Manager V7.2 database instance?

- A.50000
- B.50003
- C.50005
- D.50012

**Answer:**C