

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **1D0-430**

**Title** : **CIW Application Developer**

**Version** : **DEMO**

**1.Which one of the following choices lists the four steps of interaction with a database?**

- A.Connect, Read, Write, Disconnect
- B.Connect, Send a command, Write, Disconnect
- C.Connect, Query, Read/Write, Disconnect
- D.Connect, Send a command, Display results, Disconnect

**Correct:D**

**2.Which one of the following variables is used if no variable was specified in a pattern match, substitution operator or print statement?**

- A.\$nul
- B.\$#
- C.\$\_
- D.\$\*

**Correct:C**

**3.Which choice demonstrates the correct syntax for the DELETE command?**

- A.DELETE MyDatabase WHERE VALUES state=Kentucky AND color=blue
- B.DELETE MyDatabase WHERE state=Kentucky AND color=blue
- C.DELETE FROM MyDatabase WHERE state=Kentucky AND color=blue
- D.DELETE state=Kentucky AND color=blue FROM MyDatabase

**Correct:C**

**4.Consider the following HTML code: <<INPUT TYPE=text NAME=state VALUE=>> Given this code, which one of the following choices best describes how the data should be written to a file?**

- A.print OUTPUT, "state" . param("State: ");
- B.print OUTPUT "State: " . param("state");
- C.print OUTPUT, "State: " . ("state");
- D.OUTPUT "state" . param("State: ");

**Correct:B**

**5.Which choice best demonstrates how the print statement may be used to print HTML code?**

- A.print HTML>>;
- B.print ;
- C.print ("HTML");
- D.print ("");

**Correct:D**

**6.Consider the following code: open(INFILE, "myfile"); Given this code, which one of the following choices demonstrates reading in scalar context?**

- A.\$file = <<INFILE>;
- B.\$file < <INFILE>;
- C.%file = <<INFILE>;
- D.@file <= <INFILE>;

**Correct:A**

**7.Consider the following code: open( INPUT, "Chapter1"); Given this code, which one of the following choices demonstrates reading in list context?**

- A.%file = <<INPUT>;
- B.@file = <<INPUT>;
- C.@"file < <INPUT>;

D.\$file = 《INPUT》 ;

**Correct:B**

**8.Which set of operators is used to read and write to a file in random-access mode?**

A.< >

B.< >>

C.+< +>

D.-<< ->>

**Correct:C**

**9.The do method duplicates the function of which of the following methods?**

A.param and execute

B.post and prepare

C.prepare and execute

D.post and execute

**Correct:C**

**10.Which one of the following statements allows for variable substitution?**

A.\$sql=qq{SELECT \* FROM MyDatabase WHERE state=\$state};

B.\$sql=q{SELECT \* FROM MyDatabase WHERE state=\$state};

C.\$sql=q{SELECT \* FROM MyDatabase WHERE state=\$state};

D.\$sql=qq{SELECT \* FROM MyDatabase WHERE state=\$state};

**Correct:A**

**11.Antonio is naming a Perl variable. Which choice includes characters he may use?**

A.\_, &, \*

B.+, #, \$

C.\$, @, %

D.%, #, @

**Correct:C**

**12.Which choice best describes how to access individual elements of an array?**

A.Use an index starting with 1

B.Use an index starting with 0

C.Use a pointer

D.Use a key value

**Correct:B**

**13.Before allowing a user to submit data with a Web form, which of the following tasks should be performed?**

A.The data should be validated by the script.

B.The data should be validated by the programmer.

C.The data should be compared to valid data stored in a list.

D.The data should be passed through the validate() method.

**Correct:A**

**14.The CGI.pm module can be used to perform which one of the following tasks?**

A.GET or POST data

B.Load external variables

C.Read large amounts of text into the script

D.Access environment variables

**Correct:D**

**15.What is the main danger in using cookies and hidden fields?**

- A.They can be deleted.
- B.They can be edited.
- C.They can be blocked by the browser.
- D.They can be viewed.

**Correct:B**

**16.The start\_html method of CGI.pm yields which one of the following results?**

- A."content-type:A\n\n"
- B. «HTML»
- C. «FORM METHOD=A ACTION=B ENCODING=C»
- D. «NPUT TYPE="submit" VALUE=A»

**Correct:B**

**17.Which method is used in a Perl script to access the variables POSTed by an HTML form?**

- A.prepare();
- B.param();
- C.header ();
- D.post();

**Correct:B**

**18.The file mode specifies which one of the following?**

- A.The access permissions
- B.The inode number
- C.The file's owner
- D.How the file is opened

**Correct:D**

**19.List context versus scalar context is determined by which one of the following?**

- A.The compiler
- B.The debugger
- C.The interpreter
- D.The environment

**Correct:C**

**20.Which one of the following choices best describes data tainting?**

- A.Tainted data can be used by eval, system, or exec.
- B.Tainted data cannot be accessed by the script.
- C.Variables containing external data cannot be used outside the script.
- D.Data tainting is enabled using the D switch.

**Correct:C**