

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **1Y0-253**

**Title** : Implementing Citrix  
NetScaler 10.5 for App and  
Desktop Solutions

**Version** : DEMO

1.A Citrix Administrator needs to configure a single virtual server to accept TCP traffic on ports 80, 443 and ports between 10000 and 19999.

Which protocol type should the administrator use to accomplish this task?

- A. ANY
- B. UDP
- C. SSL\_TCP
- D. SSL\_PUSH

**Answer:** A

2.Which two pieces of information are required to create a virtual server? (Choose two.)

- A. Port
- B. Protocol
- C. Subnet Mask
- D. Gateway Address

**Answer:** A,B

3.Which two items are needed to import an SSL certificate? (Choose two.)

- A. A public key
- B. A private key
- C. A root certificate
- D. A server certificate
- E. An intermediate certificate

**Answer:** B,D

4.Scenario: A company requires two-factor authentication using RSA tokens and Active Directory. The Citrix Administrator configured the following two authentication policies with these parameters:

-The policy named RSA\_policy is used for RSA token authentication

-The policy named AD\_policy is used for Active Directory authentication

What should the administrator do to protect the NetScaler Gateway virtual server from an attack against Active Directory?

- A. Bind the RSA\_policy in Primary Authentication Policies and bind the AD\_policy in Secondary Authentication Policies.
- B. Bind the AD\_policy in Primary Authentication Policies and bind the RSA\_policy in Secondary Authentication Policies.
- C. Bind the AD\_policy and the RSA\_policy in Primary Authentication Policies and set the RSA\_policy priority higher than the AD\_policy.
- D. Bind the AD\_policy and the RSA\_policy in Primary Authentication Policies and set the AD\_policy priority higher than the RSA\_policy.

**Answer:** A

5.Various users report that while accessing the Citrix NetScaler Gateway virtual server they get an error message that the public SSL certificate is NOT trusted.

Which three steps should a Citrix Administrator take on the NetScaler to resolve this issue? (Choose three.)

- A. Import the root certificate.
- B. Import the intermediate certificate.
- C. Download the root certificate from the vendor.
- D. Link the root certificate to the intermediate certificate.
- E. Download the intermediate certificate from the vendor.
- F. Link the intermediate certificate to the existing server certificate.

**Answer:** B,E,F