

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam : 1Z0-083**

**Title : Oracle Database  
Administration II**

**Version : DEMO**

1.Which three are true about thresholds, metrics, and server-generated alerts? (Choose three.)

- A. All metrics are instance related.
- B. Cleared stateful alerts are displayed by querying DBA\_ALERT\_HISTORY.
- C. A space usage management alert is automatically cleared after the underlying problem is resolved.
- D. They are generated by SMON when a tablespace is 97% full.
- E. Metrics are statistical counts for a specific unit.
- F. STATISTICS\_LEVEL must be set to ALL to generate alerts.

**Answer:** CEF

**Explanation:**

Reference: [https://docs.oracle.com/cd/E11882\\_01/server.112/e41573/autostat.htm#PFGRF027](https://docs.oracle.com/cd/E11882_01/server.112/e41573/autostat.htm#PFGRF027)  
<https://blogs.oracle.com/oem/how-to-clear-an-alert-v2>

2.While backing up to an SBT channel, you determine that the read phase of your compressed Recovery Manager (RMAN) incremental level 0 backup is a bottleneck.

FORCE LOGGING is enabled for the database.

Which two could improve read performance? (Choose two.)

- A. Increase the size of tape I/O buffers.
- B. Disable FORCE LOGGING for the database.
- C. Increase the size of the database buffer cache.
- D. Enable asynchronous disk I/O.
- E. Increase the level of RMAN multiplexing.

**Answer:** CE

3.For which two requirements can you use the USER\_TABLESPACE clause with the CREATE PLUGGABLE DATABASE command? (Choose two.)

- A. to specify a default tablespace in a PDB cloned from another PDB in the same CDB.
- B. to exclude all tablespaces except SYSTEM, SYSAUX, and TEMP when plugging in a PDB
- C. to include specific user tablespaces only when relocating a PDB
- D. to specify the list of user tablespaces to include when moving a non-CDB to a PDB
- E. to exclude a temp tablespace when plugging in a PDB
- F. to specify the list of tablespaces to include when creating a PDB from the CDB seed

**Answer:** EF

**Explanation:**

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/admin/creating-and-removing-pdbs-with-sql-plus.html#GUID-1C47D543-8376-48AE-A1AE-632316731D59>

4.Which three are true about requirements for various FLASHBACK operations? (Choose three.)

- A. FLASHBACK transaction query requires undo to retrieve all versions of a row that existed between two points in time.
- B. FLASHBACK drop requires that the RECYCLEBIN parameter be set to ON.
- C. FLASHBACK version query requires that the RECYCLEBIN parameter be set to ON.
- D. FLASHBACK DATA ARCHIVE requires undo to store all versions of all rows of a table being tracked.
- E. FLASHBACK drop requires undo to retrieve all versions of a row that existed between two points in time.

F. FLASHBACK version query requires undo to retrieve all versions of a row that existed between two points in time.

**Answer:** ABC

**Explanation:**

Reference:

[https://books.google.com.pk/books?id=0iwrL9P25Z0C&pg=PA35&lpg=PA35&dq=FLASHBACK+transaction+query+requires+undo+to+retrieve+all+versions+of+a+row+that+existed+between+two+points+in+time&source=bl&ots=MJnYI5CZ1u&sig=ACfU3U0dWP-NPd-U8uu3zbaoi3YZzT0FTQ&hl=en&sa=X&ved=2ahUKEwigi5\\_JI9joAhXzUBUIHUh4DksQ6AEwAnoEAsQJg#v=onepage&q=FLASHBACK%20transaction%20query%20requires%20undo%20to%20retrieve%20all%20versions%20of%20a%20row%20that%20existed%20between%20two%20points%20in%20time&f=false](https://books.google.com.pk/books?id=0iwrL9P25Z0C&pg=PA35&lpg=PA35&dq=FLASHBACK+transaction+query+requires+undo+to+retrieve+all+versions+of+a+row+that+existed+between+two+points+in+time&source=bl&ots=MJnYI5CZ1u&sig=ACfU3U0dWP-NPd-U8uu3zbaoi3YZzT0FTQ&hl=en&sa=X&ved=2ahUKEwigi5_JI9joAhXzUBUIHUh4DksQ6AEwAnoEAsQJg#v=onepage&q=FLASHBACK%20transaction%20query%20requires%20undo%20to%20retrieve%20all%20versions%20of%20a%20row%20that%20existed%20between%20two%20points%20in%20time&f=false)

[https://docs.oracle.com/cd/E18283\\_01/server.112/e17120/tables011.htm](https://docs.oracle.com/cd/E18283_01/server.112/e17120/tables011.htm)

5.Which three actions are performed by the Oracle Preinstallation RPM, oracle-database-server-xxxx-preinstall, for Oracle Grid Infrastructure, where xxxx is the Oracle version and release? (Choose three.)

- A. performing checks to ensure minimum configuration requirements for Oracle Grid Infrastructure are met
- B. creating the oracle OS user
- C. creating the OSDBA (dba) group
- D. creating thte oraInventory (oinstall) group
- E. creating the grid OS user
- F. configuring the OS for Oracle Automatic Storage Management shared storage access

**Answer:** CDF

**Explanation:**

Reference: [https://docs.oracle.com/cd/E11882\\_01/install.112/e41961/prelinux.htm#CWLIN2932](https://docs.oracle.com/cd/E11882_01/install.112/e41961/prelinux.htm#CWLIN2932)