

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **1Z0-345**

Title : Oracle Policy Automation
Cloud Service 2017
Implementation Essentials

Version : DEMO

1.You are working on a project where you need to develop a rule to calculate the currency attribute “the person’s total monthly school cost”. This attribute is calculated as follows: (1) Add “the annual cost of the tuition” and “the annual cost of lodging”. (2) Subtract “the total annual scholarship amount” from the attributes previously summed. (3) Divide the result by 12.

How should you achieve this?

- A. the person’s total monthly school cost = Sum((the annual cost of the tuition + the annual cost of lodging), Subtract(the total annual scholarship amount) /12
- B. the person’s total monthly school cost = Sum((the annual cost of the tuition, the annual cost of lodging) – the total annual scholarship amount)) /12
- C. the person’s total monthly school cost = Sum((the annual cost of the tuition, the annual cost of lodging) – the total annual scholarship amount))Div12
- D. the person’s total monthly school cost = Sum((the annual cost of the tuition + the annual cost of lodging), Subtract(the total annual scholarship amount)) /12
- E. the person’s total monthly school cost = ((the annual cost of the tuition + the annual cost of lodging) – the total annual scholarship amount) /12

Answer: A

2.Your policy model includes this rule:

the user is a minor if

the user’s age < 18

Which two statements are true?

- A. “the user is a minor” is a number attribute.
- B. “the user’s age” should be a date attribute.
- C. If you use “the user’s age” in a Word document without first defining it in Policy Modeling, then the tool will automatically create an attribute and assign a data type.
- D. “the user’s age” could be compared to another attribute, “the age of majority”, rather than a predefined age.
- E. If you use “the user’s age” in a Word document without first defining it in Policy Automation, you will encounter a compilation error.

Answer: B,E

3.You have a Policy Modeling project with five attributes as shown below.

Which one of these attributes compiles with the principles for writing attribute text?

- A. 2
- B. 5
- C. 1
- D. 3
- E. none
- F. 4

Answer: E

4.Which two statements are correct for a Policy Automation project team?

- A. It is common for the rule author to be the lead tester.
- B. Subject matter experts may advise on policy interpretation, but they should not write the Policy

Automation rules.

- C. It is common for the rule author to create the interview screens.
- D. The primary user of Policy Modeling on a project should be the technical developer.
- E. Policy Automation projects must have multiple rule authors.
- F. Policy Automation project teams typically include both technical and nontechnical roles.

Answer: A,C

5.You have an interview screen that collects the attribute “the person’s age in years”. Your customer requires that an error message be displayed if “the person’s age in years” is less than 0 or greater than 120.

Which option satisfies this requirement?

- A. Set the minimum and maximum values in the Screen Properties. Set the error message text in a validation rule.
- B. Set the minimum and maximum values, and the error message text, on the Interview tab.
- C. Set the minimum and maximum values in validation rules. Set the error message text on the Project tab.
- D. Set the minimum and maximum values on the Interview tab. Set the error message text in a validation rule.
- E. Set the minimum and maximum values, and the error message text, in the Edit Attribute dialog box.

Answer: C