

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **1Z0-346**

Title : Oracle Mobile Cloud Service
2016 Developer Essentials

Version : DEMO

1.View the Exhibit.

Context

Request Correlation Id `Y005CbgPbdYVBDC8_Rh8Dyd0005cZ00058r`


While debugging an API implementation and looking at the message logs, you see the context as shown in the exhibit.

Which statement is true about the purpose of the Request Correlation Id that is shown in the exhibit?
(Choose the best answer.)

- A. It associates all messages that originated from the same mobile client
- B. It associates all identical error messages related to a request.
- C. It associates all custom code messages logged for a specific API implementation across all requests.
- D. It associates all messages logged for a specific request.
- E. It associates all messages for a client session.

Answer: C

2.View the Exhibit.



Which statement correctly identifies the purpose of the symbol labeled "Node"?

- A. It contains the dictionary of all custom API REST resources.
- B. It represents the Node.js implementation of custom APIs.
- C. It references the custom APIs that are exposed to the mobile application as a Node.js library.
- D. It refers to the custom APIs that are to be downloaded and executed on the mobile client by using a Node.js library.

Answer: B

Explanation:

Reference: <https://docs.oracle.com/en/cloud/paas/mobile-cloud/mcsua/implementing-custom->

apis.html#GUID-39473328-F5A7-4D32-9929-ECC2176B9D2E

3.Which statement correctly describes a functionality of the MCS client SDKs?

- A. They can be used to call only the custom APIs defined in MCS.
- B. They can be used to call only the MCS platform APIs.
- C. The MCS SDKs for iOS and Android manage capabilities such as storing data when you work offline.
- D. They provide a library of native user interface widgets for building features such as login pages.

Answer: B

Explanation:

Reference: <https://docs.oracle.com/en/cloud/paas/mobile-cloud/mcsua/get-know-oracle-mobile-cloud-service.html#GUID-9158772B-8831-4768-83F6-F87B838E6F97>

4.Identify four authentication methods that can be configured for an MCS mobile backend.

- A. OpenID
- B. HTTP Basic
- C. SAML
- D. Oracle Access Manager Mobile and Social
- E. OAuth Consumer
- F. Enterprise Single Sign-On (SSO)
- G. Facebook Login

Answer: BEFG

Explanation:

Reference: <https://docs.oracle.com/en/cloud/paas/mobile-cloud/mcsua/authentication-mcs.html#GUID-DBD8AFF7-FCBE-47BA-8628-6FC50130745Dhttps://docs.oracle.com/en/cloud/paas/mobile-cloud/mcsua/authentication-mcs.html>

5.Which option is a typical example of custom analytic events?

- A. the screens that a user visits in the mobile application
- B. user's name
- C. user's latitude and longitude
- D. information about a user's device model and operating system
- E. MCS custom APIs being called from the mobile application

Answer: D