

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : FORKLIFT

**Title : Forklift Operator
Certification**

Version : DEMO

1. In order to lift a laden pallet safely the fork width should be adjusted so that:

- A. the forks are close together and central.
- B. the forks are spread as far apart as possible.
- C. the forks are spread so there is an equal weight on each fork arm.

Answer: C

2. If a load appears to be stacked unsafely and in danger of collapse the forklift operator should:

- A. attempt to rearrange the load or stack.
- B. pick up the load carefully and travel with extreme caution.
- C. leave the load alone, cordon off the area and inform the supervisor/manager.

Answer: C

3. The lift truck should normally be driven:

- A. at a speed consistent with the type of load and general working conditions.
- B. at a speed to maintain production and pressures of work.
- C. slowly and deliberately to avoid all potential hazards.

Answer: A

4. When sounding the horn, you should give a few sharp blasts. This is because:

- A. several short blasts will cause less nuisance to others than one long continuous blast.
- B. several short blasts will attract more attention than one long continuous blast.
- C. several short blasts will reduce unsympathetic use of controls.

Answer: B

5. When leaving the machine, the key should be switched off and removed.

This is:

- A. to ensure the machine's power has been switched off.
- B. to prevent the machine from moving.
- C. to prevent unauthorized persons from using the machine.

Answer: C