

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **HP0-794**

**Title** : Implementing Windows  
Server 2003 on HP ProLiant  
Cluster Solutions

**Version** : DEMO

**1.What is the maximum number of drive letters per cluster for shared drives with Microsoft Windows Server 2003?**

- A.18
- B.19
- C.20
- D.23

**Correct:D**

**2.What is least likely to fail in a Windows Server 2003 network environment?**

- A.hardware
- B.applications
- C.operating system
- D.operational issues
- E.infrastructure (building, power, network)

**Correct:A**

**3.Which tasks have been identified by HP as important when planning network capacity and the graceful failover and failback of cluster resources and services? Ensure that: \_\_\_\_\_. Select TWO.**

- A.each cluster node has processors of sufficient speed to handle the maximum client load of the entire cluster
- B.the surviving node network speed and protocol will handle the maximum number of I/Os necessary to support critical services
- C.the throughput of the NIC on the surviving node is sufficient to handle the maximum network load for peak load cluster services
- D.each individual cluster node can handle the maximum number of clients that can attach to the cluster
- E.the shared storage capacity is sufficient to handle the load of the entire cluster

**Correct:B D**

**4.The HP ProLiant DL380 Packaged Cluster with MSA1000 supports how many additional storage enclosures?**

- A.0
- B.1
- C.2
- D.3

**Correct:C**

**5.Which HP PCI-to-Fibre Channel host bus adapter (HBA) uses the small form factor transceiver connection and supports the MSA1000?**

- A.32-bit/33MHz HBA using the Tachyon chipset
- B.64-bit/33MHz HBA using the Emulex chipset
- C.64-bit/66MHz FCA-2101 HBA using the QLogic chipset
- D.64-bit/66MHz HBA using the Tachyon chipset

**Correct:C**

**6.The ProLiant DL380 Packaged Cluster with MSA500 supports how many additional storage enclosures?**

- A.0
- B.1
- C.2

D.3

**Correct:C**

**7.Which SQL Server clustering requirement changed between SQL 7.0 and SQL 2000?**

- A.Only licenses for the first node in the cluster were required for SQL 7.0; all nodes must have licenses for SQL 2000.
- B.Multiple virtual SQL servers could not run on the same set of disks for SQL 7.0, but can run on the same set of disks for SQL 2000.
- C.Binaries are on the shared disk for SQL 7.0, but on the local disk for SQL 2000.
- D.Microsoft Transaction Server and Microsoft Queue Manager are no longer included as components of SQL 2000.

**Correct:C**

**8.Cluster.exe can be used to \_\_\_\_\_.**

- A.launch the Cluster Monitor utility
- B.administer clusters
- C.launch Microsoft Cluster Administrator
- D.power down the cluster

**Correct:B**

**9.Which adjustments should be made to the network adapter that has been set to Internal Cluster Communications Only? Select THREE.**

- A.Designate the adapter as the primary NIC in a fault-tolerant team.
- B.Remove all protocols other than TCP/IP and disable the Media Sense feature.
- C.Set the adapter to a specific speed of 10Mb/s or 100Mb/s.
- D.Set the adapter to use NetBIOS.
- E.Set the adapter duplex mode to half duplex.
- F.Use the auto-detect setting on the network adapter for the private interconnect.

**Correct:B C E**

**10.Which description accurately depicts an HP Multi-Server Card?**

- A.It supports up to 64 network devices within a single UPS group and provides unattended, sequential shutdown of every device in that group, regardless of the operating system.
- B.It enables each load segment to function as a separate UPS with individual shutdown schedules and load segment configurations.
- C.It detects and warns users of power failures and manages a safe system shutdown before the backup power supply is exhausted.
- D.It allows for the safe installation of new batteries through the front panel, without powering down the connected equipment.

**Correct:B**