

# **KillTest**

---

Higher Quality, Better Service!

## **Q&A**



<http://www.killtest.com>

We offer free update service for one year.

**Exam : HP2-H14**

**Title : Servicing HP Retail Point of Sale Solutions**

**Version : Demo**

- 1.Which statement is true about the All-in-One form factor of the HP ap5000 AiO POS System?
- A. It is physically smaller than the chassis for the HP rp3000 POS System and HP rp5700 POS System
  - B. Its multiple expansion slots allow for greater expandability.
  - C. It requires only one power cord to turn on the entire unit including integrated peripherals.
  - D. It includes an integrated monitor and integrated POS keyboard.

**Answer:** A

- 2.Which operating systems include McAfee Total Protection software in the preinstalled image for the HP ap5000 AiO POS System.? (Select two.)
- A. Microsoft Windows 7 Professional
  - B. FreeDOS
  - C. Windows XP Professional downgrade
  - D. POSReady 2009

**Answer:** A,C

- 3.A customer asks where the COM ports are on the HP ap5000 AiO POS System. They are not clearly visible. Where are they located?
- A. behind the cover on the rear panel of the unit
  - B. on the bottom of the unit, under the pedestal
  - C. along the side of the resistive touchscreen
  - D. on the side of the monitor, behind the resistive touchscreen

**Answer:** A

- 4.After initial setup of the HP ap5000 AiO POS System, a customer reports that the touchscreen monitor is not responding to touch. What should you tell the customer to do?
- A. Make sure the monitor power cable is connected to AC power.
  - B. Make sure the touchscreen drivers are installed and recalibrate the touchscreen
  - C. Spray the monitor with the special cleaning solution and gently wipe the surface clean.
  - D. Check the cable connections between the monitor and the system.

**Answer:** B

- 5.The optional 26.4-cm (104-inch) Customer Facing Display (CFD) is a replacement for which component of the HP ap5000 AiO POS System?
- A. resistive touchscreen
  - B. non-electronic advertisement panel
  - C. 2-line display (Vacuum Fluorescent Display-VFD)
  - D. Multitrack Magnetic Stripe Reader

**Answer:** C

- 6.A customer complains that his touchscreen reads erratically and does not respond to a light touch. What is a simple solution that might solve the problem?
- A. Check the cable connection between the touchscreen and the system.
  - B. Clean the surface of the touchscreen and recalibrate it.
  - C. Gently shake the touchscreen to recalibrate the touch receptors.

D. Reboot the machine.

**Answer:** B

7.A customer calls and says that the red power LED of the HP ap5000 AiO POS System is blinking nine times. What does this indicate?

- A. The system power is on, but the computer will not boot.
- B. Processor thermal protection has been activated
- C. A pre-video memory error has occurred.
- D. USB ports have failed.

**Answer:** A

8.Which items that are not shipped with the HP ap5000 AiO POS System are required to recover the operating system? (Select two)

- A. keyboard
- B. flash drive
- C. optical drive
- D. mouse

**Answer:** A,C

9.A customer wants to use a powered USB port but does not know how to locate it. Which statement is true about the location and appearance of powered USB ports?

- A. They are located on the rear I/O panel next to the AC power connector and are aligned vertically to distinguish them from the regular USB ports.
- B. They are located on the rear I/O panel, are specially color coded, and have larger dual connectors that distinguish them from the regular USB ports.
- C. They are located on the front panel under the power button and above the hard drive and power status LEDs.
- D. The ap5000 does not support powered USB ports.

**Answer:** A

10.How should a customer respond to a POST memory error message? (Select two.)

- A. Press Enter to see more information about the error.
- B. Press F1 to ignore the message and continue.
- C. Press Ctrl/Alt/Delete to reboot the system
- D. Press F10 to correct a system configuration error.

**Answer:** C