

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **NCIDQ**

Title : National Council for Interior
Design Qualification

Version : DEMO

1.Which event triggers the issuance of a certificate of occupancy?

- A. Construction work is complete except for fire alarm testing.
- B. The contractor sends you a pay request for 100% complete work.
- C. The owner wants to move into part of the space before the rest is finished.
- D. The city inspector has inspected and finalized the job.

Answer: D

2.What factors are MOST important in determining the locations of individual workstations within departments?

- A. Planning and design concepts
- B. Company image and employee status
- C. Work relationships and job adjacencies
- D. Client's business and communication patterns

Answer: C

3.In which situation should you use a construction change directive?

- A. To request an electrical contractor not listed by the contractor in the bid [tender] documents
- B. To request pricing for an additional receptacle per the client's request
- C. To provide additional dimensions to the contractor regarding a receptacle location
- D. To relocate an electrical receptacle because of revised furniture plans

Answer: D

4.Why are addenda issued?

- A. To provide additional information not included in the bid package
- B. To inform potential bidders about acceptable alternates
- C. To obtain additional information
- D. To request a change during construction

Answer: A

5.Which light and color characteristic would be MOST effective to enhance way-finding in a senior living facility?

- A. Brightness
- B. Hue
- C. Contrast
- D. Saturation

Answer: C