

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : CWISA-102

**Title : Certified Wireless IoT
Solutions Administrator**

Version : DEMO

1. What part(s) of the OSI network model does the IETF primarily focus on for the development of standards?

- A. Physical Layer and above
- B. All layers
- C. Network Layer and above
- D. Data Link Layer

Answer: C

2. What organization maintains and publishes the 802.15.4 Standard?

- A. Bluetooth SIG
- B. IEEE
- C. IETF
- D. Zigbee Alliance

Answer: B

3. What is the most common difference between a single board computer (SBC) and a controller board?

- A. SBCs typically have connectors for display and input devices while controller boards do not
- B. Controller boards have I/O headers and SBCs do not
- C. SBCs always have connectors for M2 devices and controller boards do not
- D. Controller boards have more powerful processors than most SBCs

Answer: A

4. You are considering the implementation of a lab for testing wireless equipment.

What is the primary benefit of such a lab? (Choose the single best answer.)

- A. Provides for testing to determine how much RF exposure you can tolerate
- B. Provides a failover environment for your production systems
- C. Provides a way to repurpose old hardware that is not ready for final removal
- D. Provides a safe environment in which to develop practical skills and knowledge of a technology and to test the technology

Answer: D

5. What is the typical range of a wireless body area network (WBAN)?

- A. 1-2 meters
- B. 10 square meters
- C. 10 centimeters
- D. 10 meters

Answer: A