

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **C_C4H45_2408**

Title : SAP Certified Associate -
Integration Consultant -
SAP Sales and Service
Cloud

Version : DEMO

1.Which steps are mandatory for the setup of the data replication framework in SAP S/4HANA on premise? Note: There are 3 correct answer to this question.

- A. Define Data Replication Model
- B. Define Communication Arrangement
- C. Define Business System
- D. Define Service Group
- E. Define Logical System

Answer: ABE

2.Where do you have to import the SAP Cloud Integration root and intermediate CA certificates when replicating data from SAP S/4HANA to SAP Sales and Service Cloud?

- A. SAP S/4HANA SSL client PSE
- B. SAP Sales and Service Cloud certificate trust list
- C. SAP Web Dispatcher trust store
- D. SAPS/ 4HANA SSL server PSE

Answer: A

3.Which objects are replicated unidirectionally from SAP CRM to SAP Sales and Service Cloud? Note: There are 2 correct answer to this question.

- A. Quotes
- B. Territories
- C. Business roles
- D. Products

Answer: AD

4.You create a new field in SAP Sales and Service Cloud, which should also be available in SAP S/4HANA When do you need to extend the business partner message in SAP S/4HANA?

- A. When the field added to SAP Sales and Service Cloud is NOT available in the web service used by SAPS/4HANA
- B. When the mapping in SAP Cloud Integration or SAP Process Orchestration needs to be updated
- C. When the WSDL is downloaded from SAP Sales and Service Cloud and uploaded into SAP S/4HANA
- D. Only when the extension field is added using the software development kit (SOK)

Answer: A

5.What is SAP's recommendation for data filtering when using IDoc communication?

- A. Use a condition filter in the middleware to ensure other integrations are NOT impacted and all filtering logic can be maintained in one central place
- B. Use custom BAdis to ensure other integrations are NOT impacted by SAP Sales and Service Cloud integration
- C. Use the standard filtering objects in the ALE distribution model. If this is NOT sufficient, use the IDOC_CREATION_CHECK BADI
- D. Use the change pointers BADI, IDOC_DATA_MAPPER. If this is NOT sufficient, use the IDOC_CREATION_CHECK BADI

Answer: C

