

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : FCP_FWB_AD-7.4

**Title : FCP - FortiWeb 7.4
Administrator**

Version : DEMO

1. When the FortiWeb is configured in Reverse Proxy mode and the FortiGate is configured as an SNAT device, what IP address will the FortiGate's Real Server configuration point at?

- A. IP Address of the Virtual Server on the FortiWeb
- B. Virtual Server IP on the FortiGate
- C. Server's real IP
- D. FortiWeb's real IP

Answer: B

2. Which HTTP response code is commonly used to indicate a permanent redirection in application delivery?

- A. 200 OK
- B. 301 Moved Permanently
- C. 404 Not Found
- D. 500 Internal Server Error

Answer: B

3. Which statement about local user accounts is true?

- A. They are best suited for large environments with many users.
- B. They cannot be used for site publishing.
- C. They must be assigned, regardless of any other authentication.
- D. They can be used for SSO.

Answer: B

4. Which action must you take with your FortiWeb logs to ensure Payment Card Industry Data Security Standard (PCI DSS) compliance?

- A. Keep all log files for at least one year.
- B. Store logs, unencrypted, in an off-site location for regulators to access.
- C. Erase all logs every two weeks.
- D. Encrypt all log and configuration files on an offline server.

Answer: A

5. When configuring a wireless network for dynamic VLAN allocation, which three IETF attributes must be supplied by the radius server? (Choose three.)

- A. 81 Tunnel-Private-Group-ID
- B. 65 Tunnel-Medium-Type
- C. 83 Tunnel-Preference
- D. 58 Egress-VLAN-Name
- E. 64 Tunnel-Type

Answer: ABE