KillTest

Higher Quality, Better Service!

Q&A

http://www.killtest.com

We offer free update service for one year.

Exam : **HAT-680**

Title : HITACHI DATA SYSTEMS QUALIFIED PROFESSIONAL - STORAGE ADMINISTRATION

Version : DEMO

1.You are using the Allocate Storage wizard in Hitachi Device Manager and you want to identify the storage.
Which two specification options are available? (Choose two.)
A. volume type
B. volume label
C. volume free space
D. volume location
Answer: A,D

2.What are two benefits of the Hitachi Command Suite? (Choose two.)
A. integration with Hitachi Compute Platform management software
B. integration with Cisco directors management software
C. integration with third-party storage management software as defined in HiFire
D. integration with Hitachi NAS Platforms management software
Answer: A,D

3.Which two Hitachi Device Manager CLI commands will prevent simultaneous updates on a storage array? (Choose two.)
A. AddArrayReservation
B. DeleteArrayLock
C. ModifyArrayReservation
D. GetArrayLock
Answer: A,C

4.You plan to disable automatic tier relocation of certain HDT volumes in Hitachi Dynamic Tiering.
What are two valid reasons for doing this? (Choose two.)
A. To ensure prioritization of a volume whose I/O activity is constant.
B. To ensure prioritization of a volume whose size is growing exponentially.
C. To ensure prioritization of a volume whose I/O activity varies greatly.
D. To ensure prioritization of a critical volume whose I/O workload is low.
Answer: C,D

5.Using Hitachi Device Manager, a customer needs to see all required information on a display but the screen layout is difficult to read. They do not need to see the volume labels.
What should the customer do?
A. Access More Actions and choose Hide Labels.
B. Access Column Settings and deselect Labels.
C. Edit the ShowLabels parameter in the server.properties file and restart the HiCommandServer service.
D. Ask for the user profile to be changed to disallow labels.
Answer: B