

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **HP0-A113**

**Title** : **HP Data Protector 9.x  
Essentials**

**Version** : **Demo**

1.What is stored within the tape header of a Data Protector formatted medium? (Select two.)

- A. Backup catalog
- B. Medium ID
- C. List of backed up objects
- D. Medium label
- E. Remaining free space on medium

**Answer:** B,C

**Explanation:**

Reference: <http://www8.hp.com/h20195/V2/getpdf.aspx/4AA5-0971ENW.pdf?ver=1.0>

2.What is the most efficient way for an administrator to add multiple components to multiple clients in a cell?

- A. In the Data Protector GUI. add one component to multiple clients
- B. Connect to each client remotely and locally add multiple components.
- C. In the Data Protector GUI. add multiple components to a client one at a time.
- D. In the Data Protector GUI. add multiple components to multiple clients

**Answer:** D

**Explanation:**

Reference: [http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr\\_na-c02029306](http://h20566.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02029306)

3.Which action initializes tapes from the HP Data Protector software GUI Devices and Media context?

- A. Import
- B. Initialize
- C. Export
- D. Format

**Answer:** B

**Explanation:**

Reference: [http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr\\_na-c02029318](http://h20565.www2.hp.com/hpsc/doc/public/display?docId=emr_na-c02029318)

4.When configuring a backup, when does Static Device Allocation occur?

- A. When the same devices are used for full and incremental backup
- B. When strict media allocation policy is used
- C. When no rmlpath device is used
- D. When each object defined in the backup specification is linked to a specific logical device

**Answer:** D

5.When the Automatic device selection restore option is used, what happens if the original device is NOT available"?

- A. Restore waits until the original backup device is available
- B. Restore uses the next available device of the same device type
- C. Restore picks up a device with the device policy. Device may be used for restore
- D. If the original backup device is not available, the restore fails

**Answer:** C