

# ***KillTest***

Higher Quality, Better Service!



## **Q&A**

<http://www.killtest.com>

We offer free update service for one year.

**Exam** : **HP0-T01**

**Title** : HP Performance Insight v5  
xsoftware

**Version** : DEMO

**1.Where is the user's property configuration file located?**

- A.{DPIPE\_HOME}/jrun/servers/piweb/properties/userproperties
- B.{DPIPE\_HOME}/jrun/servers/piweb/tw-app/webview/properties/userproperties
- C.{DPIPE\_HOME}/lib/users/properties
- D.{DPIPE\_HOME}/lib/data/users/properties

**Correct:B**

**2.What is the recommended RAID configuration for HPPI implementation?**

- A.RAID 0
- B.RAID 1
- C.RAID 1 + 0
- D.RAID 5

**Correct:C**

**3.A node list must contain the following items, each separated by commas. Which items can be used in a node list file?**

- A.node name, read community string, snmp port #, snmp profile
- B.an option group contains only polling policies
- C.node\_name, node\_number, description, SNMPV2
- D.node\_number, node description, SNMP profile, SNMP V1

**Correct:A**

**4.What are some of the integration points between NNM and HPPI?**

- A.NNM node discovery, HPPI report launching by NNM, HPPI trap generation
- B.NNM node type discovery, NNM Web Console operation in HPPI
- C.Node discovery, node type discovery, remote management console operation
- D.NNM remote report launching, HPPI node discovery used by NNM, HPPI operation of NNM Web console

**Correct:A**

**5.If the report pack installation fails, where can you find the details of the errors?**

- A.{DPIPE\_HOME}/logs/install/reportpacks.log
- B.{DPIPE\_HOME}/logs/report\_.log
- C.{DPIPE\_HOME}/logs/reportpacks/.log
- D.{DPIPE\_HOME}/logs/install/.log

**Correct:B**

**6.How can you verify that data is actually being collected from devices?**

- A.The number of rows should be increasing in the data table (rate, hourly..).
- B.The lkeys tables should always have rows in them.
- C.Look in the upload tables and see if there are any rows in them.
- D.Look for errors in the ovpi.log file.

**Correct:A**

**7.Where do you verify that the collections are being run?**

- A.{SYBASE}\install\errorlog.log
- B.{DPIPE\_HOME}\logs\install.log
- C.{TREND\_LOG}\trend.log
- D.{DPIPE\_HOME}\log\trendtimer.log

**Correct:C**

**8.Which user interfaces can be used for un-deploying Reports? Select TWO.**

- A.trend\_timer
- B.trend\_copy
- C.Catalog Manager
- D.trend\_deployer
- E.Package Manager

**Correct:C E**

**9.Deployed Reports are registered within the file \_\_\_\_\_.**

- A.{DPIPE\_HOME}/reports/deploy/deploy.conf
- B.{DPIPE\_HOME}/reports/deploy.conf
- C.{DPIPE\_HOME}/reports/deploy/deploy.xml
- D.{DPIPE\_HOME}/reports/deploy.xml

**Correct:C**

**10.Where will hourly data reside if Location Independent Reporting data mapping is created for a property table with the time type specified as ourly??ourly?**

- A.Only on the Central server
- B.Only on the Satellite server
- C.Remote Poller
- D.Both the Satellite and Central server

**Correct:B**