



Q&A

http://www.killtest.com

We offer free update service for one year.

Exam: ICBB

Title: IASSC Certified Lean Six

Sigma Black Belt

Version: Demo

1.Ai A. NP Chart B. Xbar-R Chart C. I-MR Chart D. C Chart Answer: B	s used primarily to track the stability of the average value of a metric of interest.
=	molding project a Belt needed to track the percentage of defectives of a particular used a to display the data?
3.Which of these g process? A. Xbar Chart B. Time Series Cha C. Neither D. Both Answer: A	raphs demonstrates conditions which would be sufficient to enable OCAP for the
	methods Control Limits
5.Common and A. Uncommon B. Ordinary C. Special D. Selective Answer: C	Cause Variation are the focus of Statistical Process Control.
6.Special Cause Va A. Natural & Unnat B. Short Term & Lo C. Assignable & Pa D. Attribute & Discr Answer: C	ong Term attern

7.Range Charts are the technique used to determine if Special Causes are occurring within the subgroups of the  A. Histograms B. SPC Charts C. NP Charts D. Pareto Charts Answer: B
8.If the production is for higher volume and monitoring and the Mean and variability is to be monitored for four machines producing product and the characteristic to be monitored is Variable Data, which SPC Chart is best to be selected?  A. Xbar-R Chart  B. Individual-MR Chart  C. NP Chart  D. CUSUM Chart  Answer: A
9.When a Belt Poka-Yoke's a defect out of the process entirely then she should track the activity with a robust SPC system on the characteristic of interest in the defect as an early warning system.  A. True  B. False  Answer: B
10.Following the completion of a LSS project the Belt not only creates a Control Plan he also develops a so those involved in the process know what to do when the critical metrics move out of
spec.
A. Response Plan
B. Call List
C. Chain-of-Command
D. Defect Analysis Plan
Answer: A
11.The Control Limits width varies if the sample size varies for which type of chart?  A. P Charts  B. NP Charts  C. Xbar-R Charts  D. Time Series Charts  Answer: A
12.Which of these elements are not included in Implementation plans?  A. Work breakdown structure  B. Risk management plans  C. Cost/Benefit ratios

## D. Planned audits of work completion

Answer: C

- 13. Upon completion and validation of an improvement to a process a Belt and the Project Team create a Control Plan that contains which of these?
- A. Standard operating work description of the process change
- B. Description of the monitoring system in place to assure continued compliance
- C. Summary of the targeted critical metrics for process performance measurement
- D. All of the above

Answer: D


14. What conclusion is most correct about the Experimental Design shown here with the response in the far right column?

Adv	Bev	Des	Crux	Response
-1	-1	-1	-1	20
1	-1	-1	1-	14
-1	1	-1	1	17
1	1	-1	-1	10
-1	-1	1	1	19
1	-1	- 1	-1	13
-1	1	1	-1	14
1	1	1	1	10

- A. No factor has enough statistical confidence greater than 95% to have an impact on the response rate
- B. Constant, Adv and Bev are the only factors statistically affecting the response rate with 95% confidence or more
- C. If the Adv is increased from the low level to the high level, the response rate increases
- D. The response level is statistically concluded to only need the Adv and Bev factors set at the low level to get the largest response rate
- E. This design does not have enough experimental runs to conclude anything as evidenced by the lack of P-values in the MINITABTM output

Answer: D

15. Which statement(s) are correct about the Factorial Plot shown here? (Note: There are 3 correct answers).



- A. When the cutting speed increased from low to high level, the tool age increases
- B. The coefficient of the metal hardness is positively related to the output of tool age
- C. The coded coefficient is lower for cutting speed than the cutting angle related to the output of tool age
- D. These plots prove a statistically significance factor with 95% confidence
- E. These plots are an example of interaction plots

Answer: A,B,C

16. How many experimental runs exist in a Full Factorial and fully randomized design for 4 factors with 2 replicates for the Corner Points and no Center Points? The factors in the experiment are only at 2-levels.

A. 10

B. 32

C. 256

D. 64

Answer: B


17.If an experiment has 5 factors and no replicates for a 2-level Experimental Design with 16 experimental runs which statement is incorrect?

A. The Experimental Design is half-fractional

- B. The Main Effects are confounded with only 4-way interactions
- C. The Main Effects for the 5 factors are not aliased or confounded but the 2-way interactions are confounded with the 3-way interactions
- D. The experiment has 8 experimental runs with the first factor at the high level

Answer: C

18. Which statement(s) are correct about the Pareto Chart shown here for the DOE analysis? (Note: There are 2 correct answers).



- A. It is unknown from this graph how many factors were in the Experimental Design
- B. The factors to keep in the mathematical model are E, D, DE, BD and B with an alpha risk equal to 2.06
- C. The effects to keep in the mathematical model are E, D, DE, BD and B with an alpha risk equal to 0.05
- D. The factors to keep in the mathematical model with a 5% alpha risk are BE, AB, A and AD

Answer: A,C

- 19. Fractional Factorial, \_\_\_\_\_and Response Surface Method are types of planned experiments.
- A. Multi-Vari Analysis
- B. Baldridge Channels
- C. One Factor at a Time or OFAT
- D. Factorial Design

Answer: D

- 20.Relative to a Design of Experiments the term \_\_\_\_\_ refers to variables being a linear combination of each other.
- A. Mirror Image
- B. Directly Parallel
- C. Collinear
- D. None of the above

Answer: C