

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **IFoA_CAA_M0**

Title : **Module 0 - Entry Exam**

Version : **DEMO**

1 .1/5 of actuarial students like skiing. 2/5of actuarial students like snowboarding. 1/3 of actuarial students like skiing and snowboarding.

Calculate the proportion of actuarial students that like skiing or snowboarding.

A)

$$-\frac{4}{15}$$

B)

$$\frac{4}{15}$$

C)

$$\frac{3}{5}$$

D)

$$\frac{14}{15}$$

A. Option A

B. Option B

C. Option C

D. Option D

Answer: B

2 .Calculate the sum of the following non-terminating progression:

2/10, 2/40, 2/160, 2/640,...

A. 0.174

B. 0.266

C. 0.267

D. 0.406

Answer: C

3 .For random variable X, use the following statistics to calculate its coefficient of skewness based on central moments.

$$E(X) = 3.940$$

$$E(X^2) = 21.466$$

$$\text{skew}(X) = E[(X -)^3] = 6.008$$

A. -0.415

B. 0.060

C. 0.415

D. 0.768

Answer: C

4 .Identify the condition that fully describes the existence of independence between two events A and B.

- A. $P(A|B) = P(A)/P(B)$ and $P(B|A) = P(B)/P(A)$
- B. $P(A|B) = P(A) - P(B)$ and $P(B|A) = P(B) - P(A)$
- C. $P(A|B) = P(A)$ and $P(B|A) = P(B)$
- D. $P(A|B) = P(A) + P(B)$ and $P(B|A) = P(B) + P(A)$

Answer: C

5 .Determine which of the options is equal to $\log(3) - 2\log(x+1)$.

A)

$$\log(2x + 1)$$

B)

$$\log\left(\frac{3}{2x + 1}\right)$$

C)

$$\log\left(3(x + 1)^2\right)$$

D)

$$\log\left(\frac{3}{(x + 1)^2}\right)$$

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D