

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : UiAAA

**Title : UiPath Agentic Automation
Associate**

Version : DEMO

1.What should you do if you modify the input or output arguments of your agent after creating evaluation sets?

- A. Only update the agent, not the evaluations.
- B. Adjust the evaluations to align with the new arguments to ensure continued validity and coverage.
- C. Leave the evaluation sets unchanged, since they are independent of agent arguments.
- D. Delete all evaluation sets and start over. Because the previous evaluations are linked with the old input/output arguments.

Answer: B

2.Which of the following is NOT a recommended best practice for prompt engineering?

- A. Being specific and concise
- B. Including context and format requirements
- C. Testing and iterating prompts for improvement
- D. Using ambiguous language to keep flexibility

Answer: D

3.Which UiPath service is used to create connections to external applications for agents?

- A. Test Manager
- B. Integration Service
- C. Insights
- D. AI Center

Answer: B

4.What is a zero-shot prompt?

- A. A prompt with no training data behind it
- B. A prompt that gives instructions without providing examples
- C. A prompt that always requires escalation
- D. A prompt that references previous outputs

Answer: B

5.Your client asks you to configure an LLM to answer general trivia questions (e.g., "Who is the current president of France?"). You don't include examples of correctly formatted answers in your prompt, but you expect the model to return concise and accurate responses.

What approach should you choose for this task?

- A. Chain of thought prompting
- B. Few-shot prompting
- C. Zero-shot chain of thought prompting
- D. Zero-shot prompting

Answer: D