

KillTest

Higher Quality, Better Service!



Q&A

<http://www.killtest.com>

We offer free update service for one year.

Exam : **SK0-004**

Title : **CompTIA Server+**

Version : **DEMO**

1.Which of the following is the height of 1U of space in a server rack?

- A. 1.5 inches (3.8 cm)
- B. 1.75 inches (4.4 cm)
- C. 2 inches (5.1 cm)
- D. 3 inches (7.6 cm)

Answer: B

2.A blade server chassis has two power supplies.

Which of the following is a benefit of a technician connecting each power supply to a separate UPS unit?

- A. Quality of service
- B. Fault tolerance
- C. Traffic shaping
- D. Load balancing

Answer: B

3.A blade chassis can hold 16 half-height blades or eight full-height blades.

Which of the following is the MAXIMUM number of half-height blades that can be installed in the chassis if six full-height blades are already installed?

- A. 2
- B. 4
- C. 8
- D. 16

Answer: B

4.A technician is asked to install an additional NIC in a server.

Which of the following hardware considerations would be BEST for the technician to make?

- A. Power consumption
- B. Bus type and speed
- C. CPU stepping
- D. CAS latency

Answer: B

5.A server technician is replacing a web server in an organization. The new server has two integrated NICs.

Which of the following describes how the NICs should be configured for fault protection?

- A. The NICs should be configured separately with one MAC address.
- B. The NICs should be placed into a team with one MAC address.
- C. The NICs should be configured separately with two MAC addresses.
- D. The NICs should be placed into a team with two MAC addresses.

Answer: B